FIG. 1




FIG. 2





FIG. 3










FIG. 5




6/33









	_
JOB IDENTIFIABLE ID	~1001
JOB SETTING INFORMATION	~1002
NUMBER OF JOB PHYSICAL PAGES	~1003
1ST PHYSICAL PAGE INFORMATION	~1004
2ND PHYSICAL PAGE INFORMATION	~1005
• • •	~1006
LAST PHYSICAL PAGE INFORMATION	~1007

TOTAL NUMBER OF PHYSICAL PAGES	~1101
TOTAL NUMBER OF LOGICAL PAGES	~1102
NUMBER OF COPIES	~1103
PRINTING BY SET NUMBER OF COPIES	~1104
FINISHING INFORMATION	~1105
ADDITIONAL PRINTING INFORMATION	~1106

~1201
~1202
~1203
~1204
~1205
~1206
~1207

LOGICAL PAGE ORDER ON PHYSICAL PAGE	~1301
FRONT OR BACK OF DOUBLE-SIDED PRINTING	~1302
COLOR PAGE OR MONOCHROME PAGE	~1303
ADDITIONAL PRINTING INFORMATION	~1304

LOGICAL PAGE IDENTIFIABLE ID	~1401
LOGICAL PAGE NUMBER	~1402
FORMAT INFORMATION	~1403




FIG. 16

_			_			
$\times$					A	1111
旦						
						1
			sus			
			Comments			
			ලි			
				Sheet Sheet Sheet		
			, m	ស៍ ស៍ ស៍ ស៍		
			Dat	ned d		
			Ħ	Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р Р		
			Layout Data	- C - C - C - C - C - C - C - C - C - C		
				- <del> </del>		
			Total Pages			
			Pag			
			혍			
			Ľ	82		
				••		
97				o DSF		
<u> </u>	음			3.do nt-6		
250		图		Poi		
iB3	Move to			wer.		-
ser	<u>8</u>	高	ille	XX: No.		SS
l gu			N N	soff soft soft		pre
ලි	Edit		Jent	GSC GSC GSC GSC		<u>a</u>
Page Composer iR3250 PCL6	File	指面角点 卤卤卤	Document Name	III Microsoft Word-3GS.doc IIII 4GSdata.xls IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		For Help, press F1
P	正	\footing	മ്		▼	Pă.






FIG. 18





18/33





iR5000 - 6000 PS3 Propertie	es ?X	
General Details Page Se	etup Finishing Paper source Quality Configuration	
☐ Print as Negative Image : ☐ Print as Mirror Image :		
	Halftone Settings:  Factory Settings  Set Manually  Frequency: 106.0   Ipi  Angles: 45.0   Degrees	
	☐ Manual Grayscale Settings	
	Grayscale Settings	
Output Format :  Suited for Printing  View Settings		
Details About Restore Defaults		
OK Cancel Apply Help		


iR5000 - 6000 PS3 Properties         ?		
General Details Page Se	etup Finishing Paper source Quality Configuration	
Profile: Default Se	ettings  Edit and Preview	
☐ Print as <u>N</u> egative Image : ☐ Print as Mirr <u>o</u> r Image :		
Я	Halftone Settings:  ⊙ Factory Settings  ○ Set Manually	
	Frequency: 106.0  lpi  Angles: 45.0  Degrees	
	☐ Manual Grayscale Settings	
	Grayscale Settings	
	Output Format :	
<u>View Settings</u> Suited for Printing ▼		
Details About Restore Defaults		
OK Cancel Apply Help		























31/33

FIG. 31

